

MINI BLIND GLASS UNITS

VT Industries is able to provide doors incorporating mini-blind glass units. These units are supplied by more than one vendor, resulting in different size availability, options, lite bead requirements and cost. These units are only available as factory glazed. See the table below for a summary of the offerings.

Generally, the mini-blinds are encapsulated between 2 pieces of 1/8" tempered glass. The controller(s) that tilt and raise the blinds are available on one side only. The customer must specify which side of the door (INSIDE or OUTSIDE) the controller needs to be installed on.

| | VENDOR 1 | VENDOR 2 |
|---------------------|--|--------------------------------|
| THICKNESS OF UNIT | 1-1/16" | 1" |
| WOOD BEAD | #115 | #113 |
| CONTROL OPTIONS | Tile & Lift | Tilt & Lift of Tilt Only |
| SLAT COLOR | Bright White (all), Tan (Optional as listed below) | Bright White, Linen White, Tan |
| SLAT MATERIAL | Aluminum | Aluminum |
| DELIVERY LEAD TIME | 2 Weeks | 10 Week Minimum |
| ALTERNATIVE GLAZING | No | Yes (per availability) |
| SIZES | Standard sizes per the chart below | Custom sizes below |

| GLASS SIZE | CUT-OUT SIZE | VISIBLE LIGHT | TILT/RAISE |
|------------|-------------------|---------------|---------------|
| 7" x 64" | 7-1/8" x 64-1/8" | 6" x 63" | Tilt and Lift |
| 8" x 64" | 8-1/8" x 64-1/8" | 7" x 63" | Tilt and Lift |
| 14" x 64" | 14-1/8" x 64-1/8" | 13" x 63" | Tilt and Lift |
| 14" x 80" | 14-1/8" x 80-1/8" | 13" x 79" | Tilt and Lift |
| 20" x 36" | 20-1/8" x 36-1/8" | 19" x 35" | Tilt and Lift |
| 20" x 64** | 20-1/8" x 64-1/8" | 19" x 63" | Tilt and Lift |
| 20" x 80" | 20-1/8" x 64-1/8" | 19" x 79" | Tilt and Lift |
| 22" x 36** | 22-1/8" x 36-1/8" | 21" x 35" | Tilt and Lift |
| 22" x 48" | 22-1/8" x 48-1/8" | 21" x 47" | Tilt and Lift |
| 22" x 64** | 22-1/8" x 64-1/8" | 21" x 63" | Tilt and Lift |
| 22" x 80" | 22-1/8" x 80-1/8" | 21" x 79" | Tilt and Lift |

*Tan slats are options for these sizes. All sizes are available with bright white slats.

Mini-blind units have not been evaluated for use on Acoustic Doors, and are not approved for use on Fire-Rated, X-Ray, or Bullet-Resistant doors.